Serial No. 10/657,874

RD-29,557-4

## **LISTING of CLAIMS**

- 1-12. (Canceled)
- 13. (Currently amended) An article cleaning apparatus comprising:
- an air management mechanism;
- a cleaning basket assembly:
- a fluid regeneration device;
- a working fluid device coupled to said fluid regeneration device, said cleaning basket assembly, and said air management mechanism;
- a clean fluid device coupled to said cleaning basket assembly and said fluid regeneration device;
- a controller coupled to said air management mechanism, said cleaning basket assembly, said working fluid device, said regeneration device, and said clean fluid device; wherein said controller is configured to control a cleaning process, including at least a solvent cleaning process, wherein said solvent cleaning process utilizes a solvent based cleaning fluid comprising cyclic siloxane solvent; and
- <u>aA</u> spectroscopic solvent vapor sensor <u>coupled to the controller</u> for identifying siloxane solvent vapor, <u>wherein</u> the sensor <u>compriseseemprising</u>:
  - an infrared source to generate infrared radiation,; and
  - an infrared sensor, the infrared sensor adapted to be selectively responsive to siloxane absorbance of infrared radiation having wavelengths in a near or mid-infrared range.
  - 14. (Canceled)
  - 15. (Currently amended) An article cleaning apparatus comprising:
  - an air management mechanism:
  - a cleaning basket assembly;
  - a fluid regeneration device;

Serial No. 10/657,874

RD-29,557-4

a working fluid device coupled to said fluid regeneration device, said cleaning basket assembly, and said air management mechanism, a clean fluid device coupled to said cleaning basket assembly and said fluid regeneration device:

a controller coupled to said air management mechanism, said cleaning basket assembly, said working fluid device, said regeneration device, and said clean fluid device; wherein said controller is configured to control a cleaning process, including at least a solvent cleaning process, wherein said solvent cleaning process utilizes a solvent based cleaning fluid comprising cyclic siloxane solvent; and

<u>aA</u> piezo-based solvent vapor sensor <u>coupled to the controller</u> for identifying siloxane solvent vapor, <u>wherein</u> the sensor <u>compriseseemprising</u>:

a quartz crystal microbalance element including a transducer film that selectively absorbs the siloxane solvent vapor.

- 16. (Currently amended) The <u>article cleaning apparatus</u> selvent vapor senser of claim 15 wherein said transducer film comprises a non-polar polymer.
- 17. (Currently amended) The <u>article cleaning apparatus</u> solvent vapor sensor of claim 16 wherein said transducer film comprises a hydrocarbon chain.
  - 18. (Currently amended) An article cleaning apparatus comprising:
  - an air management mechanism;
  - a cleaning basket assembly;
  - a fluid regeneration device;
- a working fluid device coupled to said fluid regeneration device, said cleaning basket assembly, and said air management mechanism, a clean fluid device coupled to said cleaning basket assembly and said fluid regeneration device;

Serial No. 10/657,874

RD-29,557-4

a controller coupled to said air management mechanism, said cleaning basket assembly, said working fluid device, said regeneration device, and said clean fluid device; wherein said controller is configured to control a cleaning process, including at least a solvent cleaning process, wherein said solvent cleaning process utilizes a solvent based cleaning fluid comprising cyclic siloxane solvent; and

aA strain based solvent vapor sensor for identifying siloxane solvent vapor, wherein the sensor comprises comprising:

- a piezo-resistive circuit,; and
- a sensing element coupled to the piezo-resistive circuit and, the sensing element including a transducer film.
- 19. (Currently amended) The article cleaning apparatus strain baced colvent vapor censor of claim 18 wherein said transducer film comprises a nonpolar polymer.
- 20. (Currently amended) The article cleaning apparatus etrain based solvent vapor sensor of claim 18 wherein said transducer film comprises a hydrocarbon chain.

## 21. (Canceled)

- 22. (Currently amended) The article cleaning apparatus spectroscopie ectivent vapor of claim 13, wherein the infrared sensor is responsive to siloxane absorbance of infrared radiation having wavelengths between about 2300nm and about 2500nm.
- 23. (Currently amended) The article cleaning apparatus epectroscopie solvent vapor of claim 13, wherein the infrared sensor is responsive to siloxane absorbance of infrared radiation having wavelengths of about 9200nm.